



Gledhow Sugar Company

Mr Dumisani Zungu
Dzungu@Gledhow.co.za

WASTE ASSESSMENT & CLASSIFICATION REPORT

PER

WASTE CLASSIFICATION AND MANAGEMENT REGULATIONS, SOUTH AFRICA

FOR

**WASTE MIXTURE: SLUDGE
SLUDGE FROM SEDIMENTATION DAM**

Laboratory sample description:	Wet, black sludge
Additional information, odour:	Mild, earthy odour
Laboratory sample reference:	W01468/21
Laboratory certificate of analysis:	007380/21

ASSESSMENT & CLASSIFICATION SUMMARY

GN R634 A1(2)(a) Listed General Waste	None identified
GN R634 A1(2)(b) Listed Hazardous Waste	None identified
GN R636 (5) Disposal Prohibitions, Restrictions *	(1)(q)(ii)
GN R636 (5) Future Prohibitions, Restrictions *	(1)(r)(iv)
GN R634 Overall Waste Disposal to Landfill	Type 0 Waste Prohibited Waste (per GN R636 (5) above)
GN R635 (7) * Waste Type (Chemistry only)	* Type 3 Waste (73% moisture content as-received analysis)
GN R636 (4)(1) * Landfill Class (Chemistry only)	* Class C Landfill (GLB+)

* Subject to treatment arising from GN R636 (5)(1) prohibition(s), and re-assessment per GN R634 (4)(5), if applicable.

SANS 10234:2019 GHS Classification	Hazardous: H315, H319
SANS 10228:2012 Dangerous Goods (Road & Rail)	Not Regulated

CLASSIFICATION DATE: 2021/10/27

References, Regulations, Norms and Standards referred to herein:

GN R634	Waste Classification and Management Regulations
GN R635	National Norms and Standards for the Assessment of Waste for Landfill Disposal, Partial Analysis in terms of S(6)
GN R636	National Norms and Standards for Disposal of Waste to Landfill
SANS 10234:2019	Globally Harmonized System of classification and labelling of chemicals (GHS)
SANS 10228:2012	The identification and classification of dangerous goods for transport by road and rail modes
Manual of Tests and Criteria Unless specifically stated herein that testing of physical hazards was undertaken, no such assessment was conducted.	



1 Chemical Assessment for Landfill Disposal

1.1 Chemical Assessment Overview

Preliminary and chemical assessments for Landfill Disposal were undertaken in accordance with:

- Waste Management and Classification Regulations 2013 (GN R634);
- National Norms and Standards for the Assessment of Waste for Landfill Disposal (GN R635);
- National Norms and Standards for Disposal of Waste to Landfill (GN R636).

These regulations, norms and standards specify hazardous wastes, chemical constituents in a substance or mixture otherwise intended for waste disposal that determine the disposal endpoint (Landfill Class), and listed, current or future restricted or prohibited wastes or prohibited disposal activities.

1.2 Preliminary Assessment: Prohibitions & Restrictions

Preliminary assessment in terms of GN R634 and GN R636 concluded:

Reference	Clause	Applicability
GN R634 A1.2(a)	Listed General Waste	None identified
GN R634 A1.2(b)	Listed Hazardous Waste	None identified
GN R636 S.5	Current Prohibition/Restriction from Disposal	Y (1)(q)(ii)
GN R636 S.5	Future Prohibition/Restriction from Disposal	Y (1)(r)(iv)

Note: No treatment or stabilization of the waste has been advised.

Listed general waste per GN R634 Annexure 1 (2)(a):

- No applicable waste constituent, characteristic, property, or hazard was identified.

Listed hazardous waste per GN R634 Annexure 1 (2)(b):

- No applicable waste constituent, characteristic, property, or hazard was identified.

Currently prohibited or restricted waste in terms of disposal per GN R636 (5):

- Type 0, Prohibited Waste per GN R636 (5)(1)(q)(ii) Waste with a moisture content >40% or that liberates moisture under pressure in landfill conditions, and which has not been stabilised by treatment. Analytical value of: 73 %.

Waste listed in GN R636 Section 5 (1) and (2), with future prohibition from or restriction to disposal:

- Future Prohibited Waste per GN R636 (5)(1)(r)(iv) >6% Total Organic Carbon (TOC). Hazardous waste with analytical value of: 18 %. (Prohibited from: Aug 2028)

1.3 Chemical Assessment: Waste Type & Landfill Class

The waste stream, due to its physical make-up and/or formational process(es) was subjected to the below analyses per GN R635 S(6), where "F" was full and "P" partial analysis, and "X" was excluded entirely. Refer to Annex A of this report for details.

F Metal Ions (Total)	F Anions (Total)	F Organics (Total)	X Pesticides (Total)
F Metal Ions (Leach)	P Anions (Leach)	F Organics (Leach)	X Pesticides (Leach)

The above chemical determination of waste type for landfill disposal according to GN R635, in conjunction with the waste acceptance criteria for disposal to landfill according to GN R636, concluded:

Reference	Waste Type	Waste Risk Level	Landfill Class (per GN R636 S.4)
GN R635 S.7	Type 0 Waste *	Very high risk	Y Prohibited from Disposal **
GN R635 S.7	Type 1 Waste *	High risk	Class A Landfill (Hazardous - H:H, H:h)
GN R635 S.7	Type 2 Waste	Moderate risk	Class B Landfill (General B+)
GN R635 S.7	Type 3 Waste	Low risk	** Class C Landfill (General B+)
GN R635 S.7	Type 4 Waste	Inert waste	Class D Landfill (General B-)



Notes:

- * Confirmatory analysis is required for Type 0 and Type 1 wastes treated in order to achieve a lower final Waste Type and Landfill Class. Where applicable, this Waste Assessment and Classification report and associated Safety Data Sheet will be updated.
- ** Prohibited or restricted under GN R636 (5) Waste Disposal Restrictions, but assessed as a different waste type under GN R635 (7). Subject to waste treatment and re-assessment per GN R634, the prohibition or restriction may be excluded.

Type 0 Waste *:

- Based on GN R635 (7)(2), the waste is chemically assessed as a Type 3 waste; however, the waste was noted to have a moisture content >40% which is a prohibited characteristics per GNR 636 (5) - refer to section 1.2 of the classification report.

Additional comments:

- pH was measured at 7.0, moisture content at 73% and TOC at 18%.

Refer to the Talbot Certificate of Analysis referenced on page 1 of this report for specific analytical information and results.

2 Globally Harmonized System (GHS) Classification

2.1 GHS Classification Overview

Substances and mixtures, including waste, must be assessed for hazardous properties for their safe handling and use. The assessment was conducted in accordance with SANS 10234:2019 Globally Harmonized System of classification and labelling of chemicals.

2.2 SANS 10234:2019 Harmonized Classification

The waste is a wet, black-coloured sedimentation dam sludge.

As noted by the client, the sludge is discharged from the sugar manufacturing process.

Note: All listed waste stream ingredients were assumed based on customer provided information as well as reference information on sugar processing. Other possible compound forms could include, but are not restricted to: carbonates, sulphates, phosphates, chlorides and silicates.

Classification in accordance with SANS 10234:2019 concluded:

Hazard :	Code	**	Class *	Statement **
Physical	-	-	None identified	-
Health	H315	2	Skin Irritation	Causes skin irritation
	H319	2A	Serious Eye Irritation	Causes serious eye irritation
Environment	-	-	None identified	-
Conclusion	Hazardous - by way of above properties and/or effects.			

Notes:

- * GH Hazard Class and Hazard Statements that include an asterisk have been abbreviated for report formatting purposes. Refer to the Safety Data Sheet for further information.
- * Where a Hazard Statement above is prefixed with the word "Deemed", explanation is provided in the relevant hazard(s) paragraphs below this note.
- ** GHS Hazard Category, Type or Division - as applicable to the Hazard Class.

Physical hazards:

- No applicable waste constituent, characteristic, property, or hazard was identified.

Health hazards:

- H315, Category 2, by means of Existing hazard classification. Based on customer provide information
- H319, Category 2A, by means of Existing hazard classification. Based on customer provided information



Environment hazards:

- No applicable waste constituent, characteristic, property, or hazard was identified.

The intended use is disposal.

Further information is available in the accompanying Safety Data Sheet (SDS).

3 Dangerous Goods Class: Transport by Road and Rail Modes

3.1 Dangerous Goods Class Overview

Goods intended for transportation by road and rail in South Africa are assessed in terms of their risk to health and safety, or property and the environment. The assessment was conducted in accordance with SANS 10228:2012 (Edition 6).

3.2 SANS 10228:2012 Classification for Transport

Classification in accordance with SANS 10228:2012, The identification and classification of dangerous goods for transport by road and rail modes, concluded:

Class (*)	UN Number	Proper Shipping Name (Road & Rail Modes)	PG **
-	-	NOT REGULATED	-

Notes:

- * Subsidiary class, if applicable.
- ** Packing Groups I, II or III. Not applicable for Classes 1, 2, 4.1 Self-reactives, 5.2, 6.2, 7.

Dangerous Goods classification:

- No applicable waste constituent, characteristic, property, or hazard was identified.

Refer to Section 14 in the accompanying Safety Data Sheet (SDS).

4 Disclaimer & Reserved Rights

This assessment and classification report has been prepared according to provided and/or quantifiable information, in accordance with the various regulations, norms and standards, and references noted herein.

Within the context of the precautionary principle contained in the references, every effort has been made to output accurate and measured conclusions. Should additional, supporting, or contrary information be identified to that which is contained herein, Talbot and the contact person noted in Section 1 must be informed immediately.

The observations and recommendations made herein, and any other information or statements contained in the accompanying SDS, if applicable, must be applied with common sense. This report is not a substitute for a quantitative toxicological risk study, standard operating procedure, risk assessment, license for handling, storage, transportation, or disposal, or a waste manifest.

Neither Talbot, the author of this report, nor the architect of the waste pack accept any liability whatsoever associated with the generation or use of this report or the information, observations, statements, or conclusions contained herein.

Talbot reserves all rights to modify at any time this or related reports should new waste information be provided.



Annex A: Schedule of GN R635 Chemical Analyses and Assumed Element Complexes for SANS 10234:2019 (GHS)

		ASLP2 Acetate pH 5.0 (P/NP)	
Metal Ions	assessed for GHS as	TC (mg/kg)	LC (mg/l)
Arsenic (As)	As ₂ O ₅	✓	✓
Boron (B)	B ₂ O ₃	✓	✓
Barium (Ba)	BaO	✓	✓
Cadmium (Cd)	CdO	✓	✓
Cobalt (Co)	CoO	✓	✓
Chromium-total (tCr)	Cr ₂ O ₃	✓	✓
Chromium-VI (Cr6)	CrO ₃	✓	✓
Copper (Cu)	Cu ₂ O	✓	✓
Mercury (Hg)	HgO	✓	✓
Manganese (Mn)	MnO ₂	✓	✓
Molybdenum (Mo)	MoO ₃	✓	✓
Nickel (Ni)	NiO	✓	✓
Lead (Pb)	PbO ₂	✓	✓
Antimony (Sb)	Sb ₂ O ₅	✓	✓
Selenium (Se)	SeO ₃	✓	✓
Vanadium (V)	V ₂ O ₅	✓	✓
Zinc (Zn)	ZnO	✓	✓
Anions		TC (mg/kg)	LC (mg/l)
Total Dissolved Solids (TDS)		N/A	x
Chloride (Cl)		N/A	x
Sulphate (SO ₄)		N/A	x
Nitrate-N (NO ₃ -N)		N/A	x
Fluoride (F)		✓	✓
Cyanide-total (CN)		✓	✓
Organics		TC (mg/kg)	LC (mg/l)
Benzene		✓	✓
Benzo(a)pyrene		✓	✓
Carbon tetrachloride		✓	✓
Chlorobenzene		✓	✓
Chloroform		✓	✓
2-Chlorophenol		✓	✓
Di (2 ethylhexyl) phthalate		✓	✓
1,2-Dichlorobenzene		✓	✓
1,4-Dichlorobenzene		✓	✓
1,2-Dichloroethane		✓	✓
1,1-Dichloroethylene		✓	✓
1-2-Dichloroethylene		✓	✓
Dichloromethane		✓	✓
2,4-Dichlorophenol		✓	✓
2,4-Dinitrotoluene		✓	✓
Ethylbenzene		✓	✓
Formaldehyde		✓	✓
Hexachlorobutadiene		✓	✓
Methyl ethyl ketone		✓	✓
Methyl t-butyl ether		✓	✓
Nitrobenzene		✓	✓
PAHs-total		✓	NA
Petroleum H/Cs, C6 to C9		✓	NA
Petroleum H/Cs, C10 to C36		✓	NA
Phenols-total, non-halogenated		✓	✓



Polychlorinated biphenyls	✓	✓
Styrene	✓	✓
1,1,1,2-Tetrachloroethane	✓	✓
1,1,2,2-Tetrachloroethane	✓	✓
Tetrachloroethylene	✓	✓
Toluene	✓	✓
Trichlorobenzenes-total	✓	✓
1,1,1-Trichloroethane	✓	✓
1,1,2-Trichloroethane	✓	✓
Trichloroethylene	✓	✓
2,4,6-Trichlorophenol	✓	✓
Vinyl Chloride	✓	✓
Xylenes-total	✓	✓

Pesticides

TC (mg/kg)

LC (mg/l)

Aldrin + Dieldrin	x	NA
DDT + DDD + DDE	x	NA
2,4-D	x	NA
Chlordane	x	NA
Heptachlor	x	NA