

A Level 2 B-BBEE company



Ref: W01462/21 | CoA: 007342/21

WACR V.1 Rev.0 Compiler 20.09.10.05.1

# Gledhow Sugar Company

Mr Dumisani Zungu Dzungu@Gledhow.co.za

# **WASTE ASSESSMENT & CLASSIFICATION REPORT**

PER

WASTE CLASSIFICATION AND MANAGEMENT REGULATIONS, SOUTH AFRICA

FOR

WASTE MIXTURE: SOLID BOILER ASH

Laboratory sample description: Dark grey, granular solid

Additional information, odour:

Laboratory sample reference:

W01462/21

Laboratory certificate of analysis:

007342/21

## ASSESSMENT & CLASSIFICATION SUMMARY

GN R634 A1(2)(a)	Listed General Waste	None identified
GN R634 A1(2)(b)	Listed Hazardous Waste	None identified

GN R636 (5)	Disposal Prohibitions, Restrictions *	None identified
GN R636 (5)	Future Prohibitions, Restrictions *	None identified

GN R634	Overall Waste Disposal to Landfill	Type 1 Waste	Class A Landfill (	H:H / H:h)	

GN R635 (7) \* Waste Type (Chemistry only) \* Type 1 Waste

GN R636 (4)(1) \* Landfill Class (Chemistry only \* Class A Landfill (H:H / H:h)

SANS 10234:2019 GHS Classification Hazardous: H315, H318

SANS 10228:2012 Dangerous Goods (Road & Rail) Not Regulated

**CLASSIFICATION DATE: 2021/10/24** 

# Rferences, Regulations, Norms and Standards refered to herein:

GN R634 Waste Classification and Management Regulations

GN R635 National Norms and Standards for the Assessment of Waste for Landfill Disposal, Partial Analysis in terms of S(6)

GN R636 National Norms and Standards for Disposal of Waste to Landfill

SANS 10234:2019 Globally Harmonized System of classification and labelling of chemicals (GHS)

SANS 10228:2012 The identification and classification of dangerous goods for transport by road and rail modes

Manual of Tests and Criteria Unless specifically stated herein that testing of physical hazards was undertaken, no such assessment was conducted.

<sup>\*</sup> Subject to treatment arising from GN R636 (5)(1) prohibition(s), and re-assessment per GN R634 (4)(5), if applicable.



WACR V.1 Rev.0 Compiler 20.09.10.05.1

# 1 Chemical Assessment for Landfill Disposal

## 1.1 Chemical Assessment Overview

Preliminary and chemical assessments for Landfill Disposal were undertaken in accordance with:

- Waste Management and Classification Regulations 2013 (GN R634);
- National Norms and Standards for the Assessment of Waste for Landfill Disposal (GN R635);
- National Norms and Standards for Disposal of Waste to Landfill (GN R636).

These regulations, norms and standards specify hazardous wastes, chemical constituents in a substance or mixture otherwise intended for waste disposal that determine the disposal endpoint (Landfill Class), and listed, current or future restricted or prohibited wastes or prohibited disposal activities.

# 1.2 Preliminary Assessment: Prohibitions & Restrictions

Preliminary assessment in terms of GN R634 and GN R636 concluded:

Reference	Clause	Applicability
GN R634 A1.2(a)	Listed General Waste	None identified
GN R634 A1.2(b)	Listed Hazardous Waste	None identified
GN R636 S.5	Current Prohibition/Restriction from Disposal	None identified
GN R636 S.5	Future Prohibition/Restriction from Disposal	None identified

Note: No treatment or stabilization of the waste has been advised.

Listed general waste per GN R634 Annexure 1 (2)(a):

· No applicable waste constituent, characteristic, property, or hazard was identified.

Listed hazardous waste per GN R634 Annexure 1 (2)(b):

No applicable waste constituent, characteristic, property, or hazard was identified.

Currently prohibited or restricted waste in terms of disposal per GN R636 (5):

No current prohibitions identified.

Waste listed in GN R636 Section 5 (1) and (2), with future prohibition from or restriction to disposal:

No future restrictions identified.

# 1.3 Chemical Assessment: Waste Type & Landfill Class

The waste stream, due to its physical make-up and/or formational process(es) was subjected to the below analyses per GN R635 S(6), where "F" was full and "P" partial analysis, and "X" was excluded entirely. Refer to Annex A of this report for details.

F Metal Ions (Total) F Anions (Total) X Organics (Total) X Pesticides (Total)
F Metal Ions (Leach) P Anions (Leach) X Organics (Leach) X Pesticides (Leach)

The above chemical determination of waste type for landfill disposal according to GN R635, in conjunction with the waste acceptance criteria for disposal to landfill according to GN R636, concluded:

Reference	Waste Type	Waste Risk Level	Landfill Class (per GN R636 S.4)	
GN R635 S.7	Type 0 Waste *	Very high risk	Prohibited from Disposal **	
GN R635 S.7	Type 1 Waste *	High risk	Y Class A Landfill (Hazardous - H:H, H:h)	
GN R635 S.7	Type 2 Waste	Moderate risk	Class B Landfill (General B+)	
GN R635 S.7	Type 3 Waste	Low risk	Class C Landfill (General B+)	
GN R635 S.7	Type 4 Waste	Inert waste	Class D Landfill (General B-)	

WACR V.1 Rev.0 Compiler 20.09.10.05.1

Ref: W01462/21 | CoA: 007342/21

## Notes:

Confirmatory analysis is required for Type 0 and Type 1 wastes treated in order to achieve a lower final Waste Type and Landfill Class. Where applicable, this Waste Assessment and Classification report and associated Safety Data Sheet will be updated.

Prohibited or restricted under GN R636 (5) Waste Disposal Restrictions, but assessed as a different waste type under GN R635 (7). Subject to waste treatment and re-assessment per GN R634, the prohibition or restriction may be excluded.

## Type 1 Waste \*:

Based on GN R635 (7)(2), the waste is chemically assessed as a Type 1 waste due to the high leachable Lead concentration (LC > LCT2).

## Additional comments:

pH was measured at 9.8.

Refer to the Talbot Certificate of Analysis referenced on page 1 of this report for specific analytical information and results.

## Globally Harmonized System (GHS) Classification 2

#### 2.1 **GHS Classification Overview**

Substances and mixtures, including waste, must be assessed for hazardous properties for their safe handling and use. The assessment was conducted in accordance with SANS 10234:2019 Globally Harmonized System of classification and labelling of chemicals.

#### 2.2 SANS 10234:2019 Harmonized Classification

The waste is dark grey boiler ash consisting of solid granules and chunks.

As noted by the client, the ash is produced from a coal fired boiler.

Classification in accordance with SANS 10234:2019 concluded:

Hazard :	Code	**	Class *	Statement **
Physical	-	-	None identified	-
Health	H315	2	Skin Irritation	Causes skin irritation
	H318	1	Serious Eye Damage	Causes serious eye damage
Environment	-	-	None identified	
Conclusion Hazardous - by way of above properties and/or effects.				

- GH Hazard Class and Hazard Statements that include an asterisk have been abbreviated for report formatting purposes. Refer to the Safety Data Sheet for further information.
- Where a Hazard Statement above is prefixed with the word "Deemed", explanation is provided in the relevant hazard(s) paragraphs below this note.
- GHS Hazard Category, Type or Division as applicable to the Hazard Class.

## Physical hazards:

No applicable waste constituent, characteristic, property, or hazard was identified.

## Health hazards:

H315, Category 2, by means of Cut-off value(s) exceeded by additivity method. European Chemicals Agency (ECHA), CLP Classification for CaO (2.43%); European Chemicals Agency (ECHA), CLP Classification for SO3 (0.49%); Sigma Aldrich MSDS for P2O5 (0.46%); European Chemicals Agency (ECHA), CLP Classification for K2O (0.33%) H318, Category 1, by means of Cut-off value(s) exceeded by additivity method. European Chemicals Agency (ECHA), CLP Classification for CaO (2.43%); European Chemicals Agency (ECHA), CLP Classification for SO3 (0.49%); Sigma Aldrich MSDS for P2O5 (0.46%); European Chemicals Agency (ECHA), CLP Classification for K2O (0.33%)



WACR V.1 Rev.0 Compiler 20.09.10.05.1

## Environment hazards:

No applicable waste constituent, characteristic, property, or hazard was identified.

The intended use is disposal.

Further information is available in the accompanying Safety Data Sheet (SDS).

# 3 Dangerous Goods Class: Transport by Road and Rail Modes

# 3.1 Dangerous Goods Class Overview

Goods intended for transportation by road and rail in South Africa are assessed in terms of their risk to health and safety, or property and the environment. The assessment was conducted in accordance with SANS 10228:2012 (Edition 6).

## 3.2 SANS 10228:2012 Classification for Transport

Classification in accordance with SANS 10228:2012, The identification and classification of dangerous goods for transport by road and rail modes, concluded:

Class (*)	UN Number	Proper Shipping Name (Road & Rail Modes)	PG **
-	-	NOT REGULATED	-

## Notes:

- \* Subsidiary class, if applicable.
- \*\* Packing Groups I, II or III. Not applicable for Classes 1, 2, 4.1 Self-reactives, 5.2, 6.2, 7.

Dangerous Goods classification:

No applicable waste constituent, characteristic, property, or hazard was identified.

Refer to Section 14 in the accompanying Safety Data Sheet (SDS).

# 4 Disclaimer & Reserved Rights

This assessment and classification report has been prepared according to provided and/or quantifiable information, in accordance with the various regulations, norms and standards, and references noted herein.


Within the context of the precautionary principle contained in the references, every effort has been made to output accurate and measured conclusions. Should additional, supporting, or contrary information be identified to that which is contained herein, Talbot and the contact person noted in Section 1 must be informed immediately.

The observations and recommendations made herein, and any other information or statements contained in the accompanying SDS, if applicable, must be applied with common sense. This report is not a substitute for a quantitative toxicological risk study, standard operating procedure, risk assessment, license for handling, storage, transportation, or disposal, or a waste manifest.

Neither Talbot, the author of this report, nor the architect of the waste pack accept any liability whatsoever associated with the generation or use of this report or the information, observations, statements, or conclusions contained herein.

Talbot reserves all rights to modify at any time this or related reports should new waste information be provided.





# Annex A: Schedule of GN R635 Chemical Analyses and Assumed Element Complexes for SANS 10234:2019 (GHS)

			ASLP2 Acetate pH 5.0 (P/NP)
Metal Ions	assessed for GHS as	TC (mg/kg)	LC (mg/l)
Arsenic (As)	As2O5	<b>√</b>	$\checkmark$
Boron (B)	B2O3	$\checkmark$	✓
Barium (Ba)	BaO	$\checkmark$	✓
Cadmium (Cd)	CdO	✓	✓
Cobalt (Co)	CoO	✓	✓
Chromium-total (tCı	r) Cr2O3	$\checkmark$	✓
Chromium-VI (Cr6)	CrO3	$\checkmark$	✓
Copper (Cu)	Cu2O	$\checkmark$	✓
Mercury (Hg)	HgO	$\checkmark$	✓
Manganese (Mn)	MnO2	$\checkmark$	✓
Molybdenum (Mo)	MoO3	$\checkmark$	✓
Nickel (Ni)	NiO	$\checkmark$	✓
Lead (Pb)	PbO2	$\checkmark$	✓
Antimony (Sb)	Sb2O5	$\checkmark$	✓
Selenium (Se)	SeO3	$\checkmark$	✓
Vanadium (V)	V2O5	$\checkmark$	✓
Zinc (Zn)	ZnO	$\checkmark$	✓
Anions		TC (mg/kg)	LC (mg/l)
Total Dissolved Sol	ids (TDS)	N/A	×
Chloride (CI)		N/A	×
Sulphate (SO4)		N/A	×
Nitrate-N (NO3-N)		N/A	×
Fluoride (F)		$\checkmark$	✓
Cyanide-total (CN)		✓	$\checkmark$
Organics		TC (mg/kg)	LC (mg/l)
Benzene		×	×
Benzo(a)pyrene		×	×
Carbon tetrachloride	е	×	×
Chlorobenzene		×	×
Chloroform		×	×
2-Chlorophenol		×	×
Di (2 ethylhexyl) phi	thalate	×	×
1,2-Dichlorobenzen	e	×	×
1,4-Dichlorobenzen	е	×	×
1,2-Dichloroethane		×	×
1,1-Dichloroethylen	e	×	×
1-2-Dichloroethylen	e	×	×
Dichloromethane		×	×
2,4-Dichlorophenol		×	×
2,4-Dinitrotoluene		×	×
Ethylbenzene		×	×
Formaldehyde		×	×
Hexachlorobutadier	ne	×	×
Methyl ethyl ketone		×	×
Methyl t-butyl ether		×	×
Nitrobenzene		×	×
PAHs-total		×	NA
Petroleum H/Cs, C6	6 to C9	×	NA
Petroleum H/Cs, C1		×	NA
Phenols-total, non-h		×	x



Ref: W01462/21   CoA: 007342/21		WACR V.1 Rev.0 Compiler 20.09.10.05.1
Polychlorinated biphenyls	×	×
Styrene	×	×
1,1,1,2-Tetrachloroethane	×	×
1,1,2,2-Tetrachloroethane	×	×
Tetrachloroethylene	×	×
Toluene	×	×
Trichlorobenzenes-total	×	×
1,1,1-Trichloroethane	×	×
1,1,2-Trichloroethane	×	×
Trichloroethylene	×	×
2,4,6-Trichlorophenol	×	×
Vinyl Chloride	×	×
Xylenes-total	×	×
Pesticides	TC (mg/kg)	LC (mg/l)
Aldrin + Dieldrin	×	NA
DDT + DDD + DDE	×	NA
2,4-D	×	NA
Chlordane	×	NA
Heptachlor	×	NA